Solutions Overview



Individual Controllers

Wireless Controller

- LCD Display
- Standard offer for High Wall and Console Units
- Optional for Duct, Cassette and Floor Ceiling Units



Wired Controller


- LCD Display
- · Standard offer for Duct, Cassette, Floor Ceiling,
- and Fresh Air Units
- Optional for High Wall , not optional for Console Units
- · Can also work as a group controller controlling up
- to 16 indoor units






Touch Screen Central Controller

Touch Screen Central Controller can control up to 32 indoor units



Note: (number of IGU05) x (number of indoor units under each IGU05) should be no more than 32

Touch Screen Central Controller can control up to 256 indoor units




Note: (number of IGU05) x (number of indoor units under each IGU05) should be no more than 256



Central Controller with Monitor Software

Central controller with monitor software can control up to 400 indoor units



Note: (number of IGU02) x (number of indoor units under each IGU02) should be no more than 400

BacNet/IP

HCM-03 BacNet/IP Converter can control up to 72 Indoor Units JCI Metasys IGU02 Max 40 indoor units under one IGU02 Protocol Translator (one modular or combination outdoor system) ı JCI Net Control No.1 Engine No.1 No.40 Ammeter RS-485 max. 1000m BacNet/IP No.2 Max. 20 sets of IGU02 4 groups No.20 HCM-03 BacNet/IP Converter

Note: (number of IGU02) x (number of indoor units under each IGU02) should be no more than 72

